BUREAU OF PUBLIC WATER SUPPLY

CALENDAR YEAR 2011 CONSUMER CONFIDENCE REPORT CERTIFICATION FORM

0220036 List PWS ID #s for all Water Systems Covered by this CCR

City of GRENDON
Public Water Supply Name

The Fed confider must be	leral Safe Drink nce report (CCR) mailed to the cu	ing Water Act requires each <i>community</i> public water system to develop and distribute a consumer to its customers each year. Depending on the population served by the public water system, this CCR stomers, published in a newspaper of local circulation, or provided to the customers upon request.
Please 2	Answer the Follo	wing Questions Regarding the Consumer Confidence Report
b	Customers were	informed of availability of CCR by: (Attach copy of publication, water bill or other)
	□ ● •	Advertisement in local paper On water bills Other Posted AT WATER Plant & B: 11049 OFFICE
	Date customer	rs were informed: 05/31/12
8	CCR was dist	ributed by mail or other direct delivery. Specify other direct delivery methods:
	Date Mailed/Di	stributed: 05 /31/12
	CCR was publis	shed in local newspaper. (Attach copy of published CCR or proof of publication)
	Name of News	paper:
	Date Published:	
•	CCR was poste	d in public places. (Attach list of locations)
	Date Posted: 66	101/12
	CCR was poste	d on a publicly accessible internet site at the address: www. C. ty , 3 grass As . Ms
	IFICATION .	
the for	n and manner ic ent with the wa	onsumer confidence report (CCR) has been distributed to the customers of this public water system in lentified above. I further certify that the information included in this CCR is true and correct and is ter quality monitoring data provided to the public water system officials by the Mississippi State Bureau of Public Water Supply.
Name	Title President,	Mayor, Owner, etc.

Mail Completed Form to: Bureau of Public Water Supply/P.O. Box 1700/Jackson, MS 39215 Phone: 601-576-7518

RECEIVED - WATER SUPPLY

2012 JUN -5 AM 10: 4

2011 Annual Drinking Water Quality Report City of Grenada PWS#: 220003, 220004, 220005, 220007, 220036 & 220062

We're pleased to present to you this year's Annual Quality Water Report. This report is designed to inform you about the quality water and services we deliver to you every day. Our constant goal is to provide you with a safe and dependable supply of drinking water. We want you to understand the efforts we make to continually improve the water treatment process and protect our water resources. We are committed to ensuring the quality of your water. Our water source is from wells drawing from the Meridian Upper Wilcox, Middle Wilcox and Lower Wilcox Aquifers. April 2012

The source water assessment has been completed for our public water system to determine the overall susceptibility of its drinking water supply to identified potential sources of contamination. The general susceptibility rankings assigned to each well of this system are provided immediately below. A report containing detailed information on how the susceptibility determinations were made has been turnished to our public water system and is available for viewing upon request. The wells for the City of Grenada have received lower to higher susceptibility rankings to contamination.

If you have any questions about this report or concerning your water utility, please contact Dale Rattiff at 662-227-3415. We valued customers to be informed about their water utility. If you want to learn more, please attend any of our regularly meetings. They are held on the second Monday of the month at 6:00 PM at City Hall. We want our arly scheduled

We routinely monitor for constituents in your drinking water according to Federal and State laws. This table below lists all of the drinking water contaminants that were detected during the period of January 1* to December 31*. 2011. In cases where monitoring wasn't required in 2011, the table reflects the most recent results, as water travels over the surface of fand or undergound, it dissolves naturally occurring minerals and, in some cases, radioactive materials and can pick but substances or contaminants from the presence of animals or from human activity, microbial contaminants, such as viruses and bacteria, that may come from swage treatment plants, septic systems, agricultural ilvestock operations, and whileful; inorganic contaminants, such as satts and metals, which can be naturally occurring or result from unban storm-water runoff, and distributions and severe discharges, oil and gas production, mining, or farming; pesticides and herbicides, which may come from a variety of sources such as agriculture, urban storm-water runoff, and residential uses; organic chemical contaminants, including synthetic and volatile organic chemicals, which are by-products of industrial processes and petroleum production, and can also come from gas stations and septic systems; radioactive contaminants, which can be naturally occurring or be the result of oil and gas production and mining activities. In order to ensure that tap water is safe to drink, EPA prescribes regulations that limit the amount of certain contaminants in water provided by public water systems. All drinking water, insulate free reasonably expected to contain at least small amounts of some constituents. It's important to remember that the presence of these constituents does not necessarily indicate that the water poses a health risk.

In this table you will find many terms and abbreviations you might not be familiar with. To help you better understand these terms we've provided the following definitions:

Level - the concentration of a contaminant which, if exceeded, triggers treatment or other requirements which a water system

Maximum Contaminant Level (MCL) - The "Maximum Allowed" (MCL) is the highest level of a contaminant that is allowed in drinking to the MCLGs as feasible using the best available treatment technology.

Maximum Contaminant Lavel Goal (MCLG) - The 'Goal'(MCLG) is the level of a contaminant in drinking water below which there is no known or expected risk to health. MCLGs allow for a margin of safety.

Maximum Residual Disinfectant Level (MRDL) - The highest level of a disinfectant allowed evidence that addition of a disinfectant is necessary for control microbial contaminants. ⋽. drinking water. There is convincing

Maximum Residual Disinfectant Level Goal (MRDLG) – The level of a drinking water disinfectant below which there is no known expected risk of health. MRDLGs do not reflect the benefits of the use of disinfectants to control microbial contaminants.

million (ppm) or Milligrams per liter (mg/l) - one part per million corresponds to one minute in two years or a single penny in

r billion (ppb) Ъ liter - one part per billion corresponds to one minute in 2,000 years, or a single penny in

Picocuries per liter (pCi/L) - picocuries per liter is a measure of the radioactivity in water

PWS1D#:0220003	7220003			FEST RESULTS	ST			
Conteminant	Violation	Date	Level	Range of Detects or	Unit	MCLG	MCL	Likely Source of Contamination
	ž	Collected	Detected	# of Samples	Measure			
				Exceeding	-ment			
				MCI /ACI				

Monitoring and reporting of compliance data violation We are required to monitor your drinking water for specific constituents on a monthly basis. Results of regular monitoring are an We are required to monitor your drinking water meets health standards. We did complete the monitoring requirements for bacteriological sampling that showed no coliform present. However on system #220004 in August 2011 and system #220005 in October 2011 we exceeded the MCL for chlorine. We have learned through our monitoring and testing that some constituents have been detected however the EPA has determined that your water IS SAFE at these levels, complete all monitoring requirements, MSDH now notifies systems of any missing samples prior to the end of the compliance period.

Significant Deficiencies:

System ID: 220003

During a sanitary survey conducted on 9/28/10, the Mssissippi State Department of Health cited the following significant deficiency(s)

Unprotected cross connections

(Unprotected cross connections)

Corrective actions: The system is under a Bitateral Compliance Agreement with the Mississippi State Department of Health to Corrective actions: The system is under a Bitateral Compliance Agreement with the Mississippi State Department of Health to Complete the work of identifying, testing and repairing all backflow prevention devices. All deficiencies are scheduled to be completed completed to the work of identifying, testing and repairing all backflow prevention devices. All deficiencies are scheduled to be completed.

by 2/7/2012. System ID: 220004

Outing a sanitary survey conducted on 9/28/10, the Mississippi State Department of Health clied the following significant deficiency(s): Indeequate internal cleaning/maintenance of storage banks Corrective actions: The system has completed an inspection and is in a Bilateral Compliance Agreement with the Mississippi State Department of Health to sandblast and paint the tanks, All deficiencies are scheduled to be completed by 2/17/2014.

System ID 220005:

During a sanitary survey conducted on 9/28/10, the Mssassippi State Department of Health cited the following significant deficiency(s): Unprotected cross connections

Corrective actions: The system is under a Bilateral Compliance Agreement with the Mississippi State Department of Health to complete the work of identifying, testing and repairing all backflow prevention devices. All deficiencies are scheduled to be completed by 2/17/2012.

System ID 220007:

During a sanitary survey conducted on 9/28/10, the Mississippi State Department of Health cited the following significant deficiency(s): Inadequate internal cleaning/maintenance of storage tanks:

Corrective actions: This system is currently under a Bilateral Compliance Agreement with the Mississippi State Department of Health to correct this deficiency by 2/07/2013.

During a sanitary survey conducted on 9/28/10, the Mississippi State Department of Health cited the following significant deficiency(s): Failure to meet water supply demands (overloaded)

Corrective actions: The system is under a Bilateral Compliance Agreement with the Mississippi State Department of Health to correct this deficiency by 2/07/2013.

If present, elevated levels of lead can cause serious health problems, especially for pregnant women and young children. Lead in drinking water is primarily from materials and components associated with service lines and of home plumbing. Our Water Association is responsible for providing high quality drinking water, but cannot control the variety of materials used in plumbing components. When your water has been sitting for several hours, you can minimize the potentials for lead exposure by flushing your tap for 30 seconds to 2 minutes before using water for drinking or cooking. If you are concerned about lead in your water, you may wish to have your water tested, information on lead in drinking water. It was a concerned about lead in your water, you may wish to have your water tested. The Mississippi State Department of Health Public Health Laboratory offers lead testing. Please contact 601,576,7682 if you wish to have your water tested.

All sources of drinking water are subject to potential contamination by substances that are naturally occurring or man made. These substances can be microbes, inorganic or organic chemicals and radioactive substances. All drinking water, including bottled water, may reasonably be expected to contain at least small amounts of some contaminants. The presence of contaminants does not necessarily indicate that the water poses a health risk, More information about contaminants and potential health effects can be obtained by calling the Environmental Protection Agency's Safe Drinking Water Hottine at 1-800-426-4791.

Some people may be more vulnerable to contaminants in drinking water than the general population. Immuno-compromised persons such as persons with cancer undergoing chemotherapy, persons who have undergone organ transplants, people with HVIAIDS or other immune system disorders, some elderly, and infants can be particularly at risk from infections. These people should seek advice about drinking water from their health care providers. EPACDS or gladelines on appropriate means to lessen the risk of infection by cryptosportidum and other microbiological contaminants are available from the Safe Drinking Water Hotline 1-800-426-4791.

-----A MESSAGE FROM MSDH CONCERNING RADIOLOGICAL SAMPLING****
In accordance with the Radionucides Rule, all community public water supplies were requires to sample quarterly for radionucides beginning January 2007 – December 2007. Your public water supply completed sampling by the scheduled deadline, however, during an audit of the Mississippi State Department of Health Radiological health laboratory, the Environmental Protection Agency (EPA) suspended analyses and reporting of radiological compliance samples and results until further notice, Although this was not the result of inaction by the public water supply. MSDH was required to issue a violation. This is to notify your that as of this date, your water system has not complicated the monitoring requirements. The Bureau of Public Water Supply has taken action to ensure that your water system has not compliance by March 31, 2013. If you have any questions, please contact Melissa Parker, Deputy Director, Bureau of Public Water Supply, at 601,576,7518.

The City of Grenada works around the clock to provide top quality water to every tap. We have four certified operators on staff, who would be pleased to answer any and all customer questions. We ask that all our customers help us protect our water sources, which are the heart of our community, our way of life and our children's future.

5 Grass Alprin	N	2006°	2.48	1,36 - 2,48	pC	Vt.	٥		15	Erosion of natural
6 Radium 226 Radium 228	H	2008*	525 763	351 - 525 173 - 783	pC	V1	0		5	Erosion of natural deposits
7, Uranium	N	2008*	.004	.002004	Val	L	0,		30	Erosion of natural
Inorganic (Conte	minant	,	***						
10, Berium	N	2011	142	075142	bbs	n	2			drilling westes; in metal refineries; jural deposits
14, Copper	н	2010*	,8	0	ppi	m	1,3	AL=1	systems; eror	sousehold plumbing sion of natural shing from wood
15. Cynnide	H	2011	147	46 - 1,47	pp		200	20	Incluries; dis-	
16. Fluoride	N	201 1	,132	No Range	pp	m	•		additive which	tural deposits; water b promotes strong rgs from fertilizer n factories
17, Lead	N	2010*	2	0	PP	ь	0	AL»	15 Corresion of systems, ero deposits	household plumbing slog of natural
Disinfection	n By-	Product	s							
81,HAA5	K	2011	6	No Range	ppb	0	Г	80	By-Product of dri	nking weler
62, TTHM (folal	н	2011	14.37	No Range	ррь	0		80	By-product of dri chiorination	nking water
Chlorine	N	2011	1,1	.84- 1.95	ppm	0	MD	RL = 4	Water additive u	sed to control

PWSID#:	220004			TEST RES	ULTS			
Contaminant	Violetion Y/N	Date Collected	Level Detected	Range of Detects # of Samples Exceeding MCL/ACL	or Unit Messure -mani	MCLG	MCE	Likely Source of Contamination
Inorganic (Contam	Inants						
10. Backim	*	2011	.02	.01802	ppm	,		Discharge of drilling westes; discharge from metal refineries; arcelon of natural deposits
13. Chromium	N	20(1	23	1.1-2.3	ppb	100	10	O Discharge from steel and pulp mile arosion of natural deposits
14 Copper	N	2009/11	2	D	ppm	1.3	AL=1.	3 Corresion of household plumbing systems; erosion of natural deposits; leaching from wood creasive lives
18 Fluoride	N	2011	188	,162 - 1,86	ppm	4		4 Erosion of natural deposits; wate additive which promotes attong teeth; discharge from fertilizes and aluminium factories
Disinfectio			1.59 P	lo Range	рръ	0	80	By-product of drinking water chlorination,
Chlorine	Ÿ	2011	.5 1	.05 - 5.65	ppm	0 MC		Water additive used to control microbes

PWSID#.	220005			TEST RESU	JLTS				
Contemirant	Violation Y/N	:Date Collected	Cave! Detected	Range of Detects 8 of Samples Exceeding MCL/ACL	er Un Meas	ure	CLG	MCL	Likely Source of Contamination
Inorganic	Contam	inants	V		=1/-				70.00
	N:	20118*	.0263	No Runge	ppm	Т	2		Discharge of drilling wastes; discharge from metal refineries erosion of natural deposits
10. Berlum	H	20118*	.0263	No Runge	ppm		2		discharge from metal refine
Disinfectio	n By-Pı	oducts							
82. TIKM (Total (Phalomethenes)	17	2008- 1	3 43 N	o Ranga	pb	•		50	By-product of drinking water chlorination
Chlorine	Y	2011 1	50 8	0-6.55	pm	0	MOR	L + 4	Water additive used to control microbes

PWSID#:	220007			TEST RESU	LTS			
Contaminant	Violetion Y/N	Date Collected	Level Detected	Range of Detricts # of Samples Exceeding MCL/ACL	Measure -ment	MCLG	MCL	Likely Source of Contamination
I norganic (contam	inants						
10. Berlum	N	2011	030	018 - 030	ppm	2		Discharge et drilling wastes; discharge from metal refineries; erosion of natural deposits.
13. Chromlum	N	2011	2.7	2,6 - 2,7	ppb	100	10	Oischarge from steel and pulp mile; erosion of natural deposits
14 Copper	H	2008*	,3	0	ppm	1,3	AL=1	3 Correlion of household plumbing systems; erosion of natural deposits; leaching from wood preservatives.
18. Flueride	н	2011	.20	.17 - 20	ppm	•		4 Erosion of natural deposits; well- additive which promotes strong teeth; discharge from fertilizer and aluminum factories.
17. Lead	Я	2008	2	0	ppb	۰	AL=	15 Corresion of household plumbin systems, erosion of natural deposits
21, Selenium	N	2011	2,8	No Range	bbp	50		 Discharge from petroleum and metal refinaries; erosion of natural deposits; discharge from coloss.
Volatile Or	ganic	Contami	nants					
76. Xylenes	H	2010*	,0005	No Range	ppm	10		10 Discharge from petroleum factories; discharge from chemical factories
Disinfectio	n By-P	roducts						the state of the s
81, HAA5	н	2011	4	No Range p	pb	0	60	By-Product of drinking weter dislocation
82, TTHM [Total	N	2011	15.64	Yo Range p	pb	0	80	By-product of drinking water chlorination
Chlorine	н	2011	70	58 - 92	prn 0	MDAL	*4 W	aler additive used to control microbes

PWSID#.	220036		TEST RESUL			
Contaminant	Violation Y/N	Date Collected		Unil Messure -ment	MCL	Likely Source of Contamination

I norganic (conta	minants	6						
8, Arsenic	N	2011	9	No Renge	P	pb	n/a		Eresion of natural deposits; runof from orchards; runoff from glass and electronics production waste
10 Barken	N	2011	810.	No Range	P	pm	2		2 Discharge of drilling wastes; discharge from metal refineries; arcsion of natural deposits
13. Chromium	N	2011	2.5	1,9-2.5	P	pb	100	10	Discharge from steel and pulp mile; erosion of natural deposits
14 Copper	N	2009/11	.4	0	P	pm	1,3	AL*1	systems; erosion of netural deposits; leaching from wood preservatives
15, Cyanide	N	2011	16 25	No Runge	F	рb	200	2	Discharge from steet/metal factories; discharge from plastic and facilities factories
16, Fixoride	N	2011	175	No Range	F	рm			4 Erosion of natural deposits; well- additive which promotes strong leath; discharge from fartifizer and abstrators factories
17_Lond	H	2009/11	•	0	,	pb	-3	AL=	15 Corresion of household plumbing systems, erosion of natural deposits
21 Selenium	N	2011	32	3-32	·	ръ	54		50 Discharge from petroleum and metal refineries; erosion of natural deposits; discharge from mines.
Disinfectio	n By	Product	5						
BT_HAAS	N	2011	14	No Range	ppb		0	60	By-Product of drinking water disinfection
62, TTHM [Total tributorethanes]	N	2011	39,5	No Range	ppb	Ĭ	٥	80	By-product of drinking water chiprination,
Chlorina	N	2010	1,1	1-13	ppm		0 1	DRL = 4	Whiler additive used to control microbes

PWSID#	220062			TEST RESU	LTS			
Contaminant	Violation Y/N	Date Collected	Level Detected	Range of Dejects of B of Samples Exceeding MCL/ACL	Unit Measure -ment	MCLG	MCL	Likely Source of Contamination
Inorganic	Contam	Inants						
10. Barium	H	2011	.04	00404	ppm	2	1 12	2 Discharge of drilling weates; discharge from metal refineries; aroston of natural deposits
13, Chromkum	н	2011	22	1.7 - 2 2	ppb	100	10	O Discharge from steel and pulp mile; erosion of natural deposits
14, Copper	"	200W11	.3	0	ppm	1,3	AL=1	 Corrector of household plumbing systems; erosion of natural deposits; leaching from wood preservatives
15, Fluoride	N	2011	_115	.108115	ppm	1		Erosion of natural deposits; weter additive which promotes strong (seth; discharge from fertilizer and abmission factories.
17. Lead	N	2009/11	2	0	ppb	۰	AL=1	5 Corrosion of household plumbing systems, prosion of natural deposits
Disinfection	on By-P	roducts						
Chiorine	H	2011	1.20	- 1.25 pp	m	0 NO		Water additive used to control enterobes.

^{*} Most recent sample. No sample required for 2011.